	Application No.	Applicant(s)	
Notice of Allowability			
	09/868,233 Examiner	YAMADA ET AL. Art Unit	
		Artonit	
	Guillermo Perez	2834	
The MAILING DATE of this communication at All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOL NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEN of the Office or upon petition by the applicant. See 37 CFR 1	S IS (OR REMAINS) CLOSED i -85) or other appropriate comm T RIGHTS . This application is	n this application. If not included unication will be mailed in due co	ourse. THIS
 This communication is responsive to the After Final co The allowed claim(s) is/are 5-12. The drawings filed on are accepted by the Exart Acknowledgment is made of a claim for foreign priority 	niner.		
a) ☑ All b) ☐ Some* c) ☐ None of the:			
1. Certified copies of the priority documents i			
2. Certified copies of the priority documents t			
3. Copies of the certified copies of the priority		d in this national stage applicatio	n from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:			
5. Acknowledgment is made of a claim for domestic priori	ty under 35 U.S.C. § 119(e) (to	a provisional application).	
(a) The translation of the foreign language provision6. Acknowledgment is made of a claim for domestic priori			
O Neknowledgment is made of a claim for domestic priori	ty under 35 U.S.C. §§ 120 and/	or 121.	
Applicant has THREE MONTHS FROM THE "MAILING DATE below. Failure to timely comply will result in ABANDONMENT	E" of this communication to file a Tof this application. THIS THE	a reply complying with the require	ments noted
7. A SUBSTITUTE OATH OR DECLARATION must be s INFORMAL PATENT APPLICATION (PTO-152) which gives i	ubmitted. Note the attached EX reason(s) why the oath or decla	AMINER'S AMENDMENT or NO ration is deficient.	TICE OF
 CORRECTED DRAWINGS must be submitted. (a) ☐ including changes required by the Notice of Drafts 1) ☐ hereto or 2) ☐ to Paper No 			
(b) ☐ including changes required by the proposed drawi			
(c) $oxed{oxed}$ including changes required by the attached Exami	ner's Amendment / Comment of	or in the Office action of Paper No)
Identifying indicia such as the application number (see 37 CF each sheet.	R 1.84(c)) should be written on t	he drawings in the front (not the ba	ack) of
 DEPOSIT OF and/or INFORMATION about the deattached Examiner's comment regarding REQUIREMENT FO 	eposit of BIOLOGICAL MATI R THE DEPOSIT OF BIOLOGI	ERIAL must be submitted. Not CAL MATERIAL.	e the
Attachment(s)			
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948 Information Disclosure Statements (PTO-1449), Paper No Examiner's Comment Regarding Requirement for Deposit of Biological Material 	7) 4☐ Interview D. <u>0403</u> . 6⊠ Examine	of Informal Patent Application (PT ov Summary (PTO-413), Paper No er's Amendment/Comment er's Statement of Reasons for Allo)

Application/Control Number: 09/868,233

Art Unit: 2834

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Allan Wood on May 2, 2003.

The application has been amended as follows:

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: add a label for each component shown in the drawings with the names provided in the specification, example: for 13: engine, for 14: generator, for 15: converter, etc. See the attached copy of the amendment. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Allowable Subject Matter

Claims 5-12 are allowed.

The following is an examiner's statement of reasons for allowance: the prior art's references of record do not disclose a second converter, which is a bi-directional switching converter, connected in series with the condenser bank, and controlling the direct current for charging the condenser bank to a fixed current. The switching converter controls the charging power to the bank of condensers with a fixed or

Art Unit: 2834

constant output current, to achieve high charge efficiency. In other words, the switching converter functions as a constant-current source during charging.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Guillermo Perez whose telephone number is (703) 306-5443. The examiner can normally be reached on Monday through Thursday and alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be reached on (703) 308 1371. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305 3432 for regular communications and (703) 305 3432 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308 0956.

7. 3

Guillermo Perez Friday, May 02, 2003